



# ADDENDUM

Addendum No. Two

Page 1 of 1

Date: July 29, 2008

## Description and Location of Project:

**HARD SURFACE PLAY AREA UPGRADE  
JACK HULLAND ELEMENTARY SCHOOL  
WHITEHORSE, YUKON  
2008**

## To All Tenderers:

### 1. General:

- 1.1 This addendum shall be read in conjunction with the Drawings and Specifications.
- 1.2 Where inconsistent with the above, this addendum shall govern. This addendum forms an integral part of the Contract Documents and shall be included therein.
- 1.3 No consideration shall be allowed for increases (extras) to the Contract Price due to the failure of the Contractor or Subcontractor being familiar with this addendum.
- 1.4 The Tenderer will insert in the Tender Form the numbers of the addenda received during the tendering period and taken into account in preparing their tender.

### 2. Scope of this Addendum:

#### 2.1 CHANGE OF ASPHALT THICKNESS (NEW PAVING)

##### SECTION 02742, 3.8 PLACING ASPHALT

3.8.4.1 Reduce lift thickness from 70mm to 50mm

3.8.4.2 No change to thickness for resurfacing

### 3. Attachments:

N/A

Kevin Fisher/  
Project Manager

July 29, 2008  
Date

(867) 667-5135  
Phone No.